

# Swipe Right or Swipe Left...

ERIC E SCHMIDT, OD, FAAO  
OMNI EYE SPECIALISTS  
WILMINGTON, NC

1

Dr Schmidt is an advisor or consultant for the following:

- ▶ Allergan
- ▶ Tarsus
- ▶ Eyenovia
- ▶ Trukera
- ▶ Thea Pharmaceuticals
- ▶ Topcon
- ▶ B&L
- ▶ Sight Science
- ▶ Avellino Labs
- ▶ Visus

## Disclosure Slide for Dr Eric Schmidt

2

## Glaucoma Treatment Universe 2023

- ▶ Prostaglandins
- ▶ Alpha agonists
- ▶ Rho-kinase Inhibitors
- ▶ Beta-blockers
- ▶ Carbonic Anhydrase Inhibitors
- ▶ Combo Agents
- ▶ SLT
- ▶ MIGS
- ▶ Glaucoma Surgery
- ▶ How Do You Know Which Category To Choose???

3

## What Are You Trying To Achieve?

- ▶ Optimal IOP Reduction
- ▶ Minimal Side Effects
- ▶ Rigid Compliance
- ▶ Anything Else?

4

## Target IOP – How Low Do You Need To Go?

- ▶ That all depends upon the individual patient
- ▶ Mainly it depends upon the severity of the glaucoma
  - ▶ Mild
  - ▶ Moderate
  - ▶ Severe

5

## "New" Goal of treatment in Glaucoma

- ▶ Low and Stable IOP
- ▶ Minimize the diurnal curve
- ▶ Prevent IOP peaks

6

## General Rule #1

- ▶ 30% decrease as an initial target
- ▶ Target decrease from highest untreated IOP
- ▶ CIGTS, OHTS

7

## General Rule #2

- ▶ Mild glaucoma – decrease IOP 30%
- ▶ Moderate glaucoma – decrease IOP 40%
- ▶ Severe glaucoma – decrease IOP 50% (at least)

8

## You Also Need To Consider The Type of Glaucoma The Patient Has

- ▶ POAG
- ▶ NTG
- ▶ ANA
- ▶ Secondary Glaucomas
  - ▶ Pigmentary
  - ▶ Exfoliative
  - ▶ Steroid Induced
  - ▶ Others

9

## Eric's 7 Simple Rules For Treatment

1. Choose 30% IOP decrease as initial target
2. Squash the diurnal curve (Keep IOP peak <18mm)
3. Assess risk factors for progression and rate of progression (CI<555, IOP >26, C/D 0.5)

10

## Eric's Rules cont.

4. If you are going to treat; treat aggressively
5. KISS
6. Be mindful of perfusion issues
7. Above all, do no harm

11

## Cases To Help Illustrate The Decision Making Tree

12

Case 1

- ▶ 66 y/o Caucasian Female
- ▶ PMH: Anemia, Hypothyroid
- ▶ FMH: Mother- POAG
  
- ▶ Multiple IOP Readings over 3 year period:  
18-25mm Hg
- ▶ C/D as shown: ~.8/.8


13




14




15



16



17



18

SO- TREAT or no treat???

- ▶ What factors would lead you to monitor rather than treat
  - ▶ Or Vice Versa
- ▶ Do We Need Any More Data?
- ▶ What makes you feel comfortable about monitoring without therapy?

19

If You Decide To Treat- Which Initial Agent Would You Choose?

20

## NTG Challenge


- ▶ 46 y/o WF
- ▶ No complaints
- ▶ Post Lasik x 12 yrs- stable RE
- ▶ Referred because of suspicious disks (by a new eye doctor)

21


## Exam specifics

- ▶ VA – 20/20 OD, OS w/out RX
- ▶ Slit lamp exam – Well apposed LASIK flaps OU
- ▶ Gonio – Gr 4 360 degrees OU
- ▶ IOP – 14mm Hg OD, 18mm Hg OS
- ▶ Pachymetry - 456 OD, 442OS
- ▶ Normal Fundus Exam – Except for...


22




23




24



25



26



27

### So Given The Evidence Before You What Do You Do?

- ▶ Observe
- ▶ Additional Testing
- ▶ Treat
- ▶ If so, with what?


▶ This is a difficult case, am I right?

28


If You decide to treat...

- ▶ What is your Target IOP?
- ▶ How Low Do You Go? ( How do you know?)
- ▶ How do you get the IOP to that Target?
- ▶ What is Your Initial Agent of Choice?


29



30




31



32








33



34



34

### Is She Stable?

- ▶ If You Swiped Left (Unstable)- What are you swiping to?
- ▶ What is Your Next Choice?

35

*Handwritten notes:* N/A for Platelets, Alpha-p-Blocker, Aspirin/antiplatelet drug of blood thinning

**GLATOPRA TRACKING**


Exam	Date	Repetition	SS	Avg INFL	Avg ONA	Avg Chol	Avg Chol/Chol
1	08/10/2023	001	700	87	88	1.02	0.85
2	08/10/2023	002	700	85	82	1.01	0.85
3	08/10/2023	003	700	81	81	0.98	0.85
4	08/10/2023	004	700	79	78	0.99	0.85

*Handwritten notes:* Platelets, Aspirin/antiplatelet drug of blood thinning, Alpha-p-Blocker, Aspirin/antiplatelet drug of blood thinning


36

# The Hypersensitive Patient


37



38



39



40

## This Lady Needs Treatment- Right?

- ▶ What Are You Swiping To/
  - ▶ PGA
  - ▶ Beta Blocker
  - ▶ Rho Kinase Inhibitor
  - ▶ Combo Drop

41

## Oops!!

- ▶ So now what do we do?

42

## A Tough Inheritance

62 y/o BF, (+) fam hx- treated for POAG for 6 years

VA 20/20 OD, 20/20 OS

Pachs – OD 490, OS 495

No systemic meds


IOP maintained around 18 OU on Lumigan QHS, AlphaganP OU TID, T1/2 OU BID

Initial IOP 28 OD, 29 OS


Condition was stable but px developed hypersensitivity (After patient was switched to Brimonidine 0.15%)

IOP 22 OU on Lumigan only


43




44




45



46



47



48

## What tx would you choose?

1. Switch to Rocklatan
2. SLT OU 180
3. Add Azopt OU BID
4. add Timoptic ½ OU BID
5. Trabeculectomy
6. d/c Lumigan, try Travatan Z OU QHS
7. Cosopt OU BID
8. Combigan OU BID

49

## How Do You Know if the IOP needs to be lower?

### What are the risk factors for progression?

- Age
- IOP at diagnosis
- Neuroretinal rim tissue
- Disk hemes
- Corneal hysteresis

### Is she progressing?

50

## When Progression Is Detected, How Do We Know...

- ▶ How Low the IOP Should be...
- ▶ Which agent(s) should we use...
- ▶ When Surgery is Indicated...
- ▶ The Rate Of Their Progression...

51

## 4 Major questions surrounding progression

- ▶ 1. Why Do Patients Progress?
- ▶ 2. How Do We Best Detect Progression?
- ▶ 3. How Can We Improve Compliance?
- ▶ 4. Once Progression Occurs, What Is Our Best Strategy?

52

## Rate Of Progression

- ▶ RGC loss in normals -0.5% /yr
- ▶ RGC loss in Glaucoma - 3.5% / yr
- ▶ RGC loss in treated G - 1.5%/yr

53

## The Smoldering Case

- ▶ 51 y/o BF
- ▶ Treated for "eyeitis" for ~ 1 year
- ▶ Never completely resolved
- ▶ Currently using PF OS QID, Atropine 1% OU BID
- ▶ PMH: HBP, Arthritis, chronic cough

54

## The symptoms


- ▶ Throbbing intermittent pain OS >> OD
- ▶ Radiates to temples
- ▶ Chronic redness OS
- ▶ Photophobia
- ▶ Poor near vision

55


## The exam

- ▶ BCVA: OD 20/20, OS 20/50
- ▶ Pupils: 8mm fixed OU
- ▶ EOM: no pain on movement
- ▶ OD: Normal SLE
- ▶ OS: As shown
- ▶ IOP: 14OD, 16 OS


56



57



58



59

What is the Most proper diagnosis?

- ▶ 1. Posterior Uveitis
- ▶ 2. Acute Iritis
- ▶ 3. Granulomatous Uveitis
- ▶ 4. Recurrent Uveitis
- ▶ 5. Recalcitrant Uveitis
- ▶ 6. Chronic, granulomatous Uveitis

60

How would you treat this patient?

1. Politely refer her out
2. PF Q1H OS
3. PF Q2H OS
4. PF Q2H, Atropine QD OS
5. Durezol OS QID
6. Durezol OS Q2H

61

1 week later

- ▶ Eye feels much better
- ▶ She is reading better
- ▶ VA OD 20/20, OS 20/50
- ▶ AC – tr cell, no flare
- ▶ IOP 18OD, 31 OS
- ▶ Blood work:
  - ▶ ESR – 36mm/hr
  - ▶ (+) RF
  - ▶ Elevated ACE
- ▶ Subsequent CXR – Lung Granuloma

62

What would you do with the steroid?

63

How would you treat the IOP?

64